

Table 1.64C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	1,019	1,013	559	514	407	409
GEOGRAPHIC DIVISION						
Northeast	409	436	212	226	161	180
New England	219	190	110	115	80	91
Middle Atlantic	343	393	183	195	141	155
Midwest	364	384	189	189	147	154
East North Central	291	330	162	161	133	134
West North Central	227	205	96	93	65	69
South	636	601	313	301	214	220
South Atlantic	473	463	245	237	169	173
East South Central	212	212	99	98	76	87
West South Central	333	320	160	163	113	115
West	554	549	358	297	269	241
Mountain	266	239	159	123	115	91
Pacific	489	491	321	272	244	222
COUNTY TYPE						
Large Metro	1,195	1,196	465	453	324	347
Small Metro	834	794	312	319	238	231
250K – 1 Mil. Pop.	689	665	243	246	186	184
< 250K Pop.	476	494	192	196	145	135
Nonmetro	535	525	260	193	188	139
Urbanized	389	363	154	148	128	104
Less Urbanized	418	372	217	122	149	90
Completely Rural	137	156	37	45	19	30

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.64D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.40	0.39	0.22	0.20	0.16	0.16
GEOGRAPHIC DIVISION						
Northeast	0.88	0.93	0.45	0.48	0.35	0.38
New England	1.79	1.54	0.90	0.93	0.65	0.74
Middle Atlantic	1.00	1.14	0.53	0.56	0.41	0.45
Midwest	0.66	0.69	0.34	0.34	0.27	0.28
East North Central	0.75	0.85	0.42	0.42	0.34	0.35
West North Central	1.35	1.21	0.57	0.55	0.39	0.41
South	0.68	0.63	0.34	0.32	0.23	0.23
South Atlantic	0.96	0.92	0.50	0.47	0.34	0.34
East South Central	1.40	1.39	0.66	0.64	0.50	0.57
West South Central	1.15	1.08	0.55	0.55	0.39	0.39
West	0.94	0.92	0.61	0.50	0.46	0.40
Mountain	1.47	1.32	0.88	0.67	0.64	0.50
Pacific	1.20	1.18	0.79	0.65	0.60	0.53
COUNTY TYPE						
Large Metro	0.59	0.57	0.31	0.29	0.22	0.24
Small Metro	0.62	0.62	0.36	0.35	0.29	0.27
250K – 1 Mil. Pop.	0.75	0.79	0.43	0.41	0.34	0.33
< 250K Pop.	1.10	1.05	0.67	0.62	0.54	0.46
Nonmetro	0.85	0.87	0.58	0.42	0.42	0.32
Urbanized	1.27	1.31	0.81	0.70	0.70	0.56
Less Urbanized	1.33	1.24	0.97	0.56	0.68	0.42
Completely Rural	2.74	2.18	0.92	0.95	0.51	0.67

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.64P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.7538		0.9765		0.4881	
GEOGRAPHIC DIVISION						
Northeast	0.1145		0.9715		0.7418	
New England	0.3546		0.9391		0.5906	
Middle Atlantic	0.1990		0.9282		0.4855	
Midwest	0.9517		0.6609		0.2848	
East North Central	0.8828		0.6747		0.2412	
West North Central	0.7297		0.8556		0.8968	
South	0.4029		0.7229		0.7928	
South Atlantic	0.4269		0.9949		0.9217	
East South Central	0.5554		0.3922		0.0577	
West South Central	0.9301		0.8436		0.5472	
West	0.7213		0.5236		0.9493	
Mountain	0.5129		0.0400		0.1345	
Pacific	0.9463		0.7789		0.5025	
COUNTY TYPE						
Large Metro	0.5571		0.8086		0.3038	
Small Metro	0.7516		0.8257		0.9197	
250K – 1 Mil. Pop.	0.5611		0.7781		0.9781	
< 250K Pop.	0.1929		0.9953		0.8311	
Nonmetro	0.9632		0.7592		0.6358	
Urbanized	0.7759		0.4701		0.8028	
Less Urbanized	0.3047		0.2109		0.4377	
Completely Rural	0.0357		0.3253		0.0860	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.65C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	91	89	84	83	62	61
GEOGRAPHIC DIVISION						
Northeast	33	34	31	34	25	25
New England	16	16	14	15	12	12
Middle Atlantic	28	30	28	30	22	21
Midwest	28	32	25	27	19	20
East North Central	24	26	22	21	17	16
West North Central	17	19	15	16	11	12
South	57	54	50	49	35	36
South Atlantic	45	41	40	38	26	29
East South Central	18	17	16	15	11	11
West South Central	29	29	27	26	19	19
West	52	53	50	51	37	34
Mountain	25	21	22	20	17	16
Pacific	46	49	45	48	33	31
COUNTY TYPE						
Large Metro	81	78	75	70	52	47
Small Metro	53	58	46	54	34	40
250K – 1 Mil. Pop.	45	50	39	46	31	33
< 250K Pop.	31	31	26	29	14	23
Nonmetro	42	33	35	29	21	19
Urbanized	27	23	22	21	13	15
Less Urbanized	33	22	28	18	16	10
Completely Rural	7	11	6	9	3	7

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.65D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.37	0.35	0.34	0.33	0.25	0.24
GEOGRAPHIC DIVISION						
Northeast	0.77	0.80	0.73	0.78	0.60	0.57
New England	1.44	1.43	1.29	1.36	1.11	1.09
Middle Atlantic	0.90	0.94	0.88	0.94	0.71	0.66
Midwest	0.53	0.58	0.48	0.49	0.36	0.38
East North Central	0.64	0.68	0.58	0.56	0.44	0.43
West North Central	1.05	1.15	0.92	0.99	0.67	0.73
South	0.64	0.59	0.56	0.53	0.39	0.39
South Atlantic	1.00	0.88	0.88	0.83	0.59	0.62
East South Central	1.22	1.13	1.09	1.00	0.77	0.75
West South Central	0.96	0.92	0.89	0.82	0.64	0.60
West	0.89	0.88	0.86	0.86	0.64	0.57
Mountain	1.39	1.12	1.24	1.08	0.94	0.85
Pacific	1.13	1.17	1.12	1.15	0.82	0.75
COUNTY TYPE						
Large Metro	0.54	0.51	0.51	0.47	0.36	0.33
Small Metro	0.59	0.62	0.54	0.60	0.43	0.48
250K – 1 Mil. Pop.	0.78	0.74	0.68	0.70	0.58	0.57
< 250K Pop.	0.97	1.13	0.93	1.12	0.56	0.88
Nonmetro	0.91	0.77	0.77	0.68	0.50	0.48
Urbanized	1.21	1.20	1.01	1.13	0.67	0.82
Less Urbanized	1.47	1.10	1.26	0.93	0.78	0.56
Completely Rural	2.00	2.47	1.82	2.05	1.04	1.83

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.65P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.3619		0.6664		0.1647	
GEOGRAPHIC DIVISION						
Northeast	0.4662		0.8921		0.2734	
New England	0.5554		0.2512		0.6384	
Middle Atlantic	0.6124		0.6651		0.1233	
Midwest	0.9639		0.9759		0.5937	
East North Central	0.6138		0.8821		0.2541	
West North Central	0.5123		0.8724		0.4788	
South	0.5999		0.5158		0.2658	
South Atlantic	0.3027		0.3071		0.9684	
East South Central	0.6663		0.6780		0.0371	
West South Central	0.7920		0.9471		0.4899	
West	0.0985		0.2104		0.0690	
Mountain	0.9582		0.6788		0.0781	
Pacific	0.0683		0.2355		0.2511	
COUNTY TYPE						
Large Metro	0.4387		0.9737		0.9818	
Small Metro	0.7304		0.5128		0.0326	
250K – 1 Mil. Pop.	0.8720		0.6047		0.5567	
< 250K Pop.	0.7592		0.7746		0.0023	
Nonmetro	0.7566		0.7475		0.5060	
Urbanized	0.0215		0.0143		0.0425	
Less Urbanized	0.0598		0.0603		0.2192	
Completely Rural	0.4314		0.8137		0.6864	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.66C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	167	177	166	167	130	135
GEOGRAPHIC DIVISION						
Northeast	72	69	70	71	59	55
New England	34	33	34	35	28	28
Middle Atlantic	62	61	60	62	52	47
Midwest	74	70	63	63	50	52
East North Central	60	62	53	56	41	47
West North Central	41	36	34	31	28	25
South	103	114	98	106	76	83
South Atlantic	78	86	78	77	60	63
East South Central	35	36	31	26	26	22
West South Central	57	60	48	58	38	44
West	88	92	89	87	70	79
Mountain	41	40	37	41	28	36
Pacific	78	83	81	77	64	70
COUNTY TYPE						
Large Metro	229	256	172	186	119	135
Small Metro	194	218	145	150	102	104
250K – 1 Mil. Pop.	145	136	103	92	67	70
< 250K Pop.	128	171	99	116	75	77
Nonmetro	100	104	65	75	43	58
Urbanized	78	83	50	63	35	49
Less Urbanized	68	66	46	42	31	29
Completely Rural	24	28	16	23	13	14

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.66D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.49	0.51	0.49	0.49	0.38	0.39
GEOGRAPHIC DIVISION						
Northeast	1.19	1.13	1.16	1.16	0.98	0.89
New England	2.07	2.04	2.10	2.18	1.72	1.77
Middle Atlantic	1.41	1.35	1.36	1.38	1.18	1.04
Midwest	0.98	0.95	0.84	0.85	0.67	0.71
East North Central	1.16	1.23	1.03	1.10	0.80	0.92
West North Central	1.72	1.59	1.45	1.38	1.18	1.08
South	0.83	0.91	0.79	0.84	0.61	0.66
South Atlantic	1.24	1.33	1.23	1.20	0.95	0.98
East South Central	1.78	1.80	1.54	1.31	1.28	1.07
West South Central	1.38	1.45	1.16	1.39	0.93	1.06
West	1.09	1.12	1.10	1.05	0.86	0.96
Mountain	1.63	1.61	1.50	1.66	1.12	1.47
Pacific	1.39	1.44	1.44	1.33	1.14	1.21
COUNTY TYPE						
Large Metro	0.72	0.72	0.69	0.70	0.55	0.57
Small Metro	0.89	0.94	0.89	0.84	0.68	0.66
250K – 1 Mil. Pop.	0.99	1.05	1.02	0.99	0.71	0.79
< 250K Pop.	1.67	1.73	1.62	1.51	1.38	1.15
Nonmetro	1.08	1.13	0.91	1.13	0.70	0.97
Urbanized	1.75	1.52	1.54	1.69	1.18	1.59
Less Urbanized	1.44	1.72	1.34	1.46	1.06	1.09
Completely Rural	4.36	3.93	3.50	3.81	2.97	2.56

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.66P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.5234		0.2252		0.3379	
GEOGRAPHIC DIVISION						
Northeast	0.1067		0.8493		0.9462	
New England	0.0836		0.4023		0.4596	
Middle Atlantic	0.4223		0.4125		0.6567	
Midwest	0.8838		0.5845		0.7641	
East North Central	0.5333		0.5986		0.8107	
West North Central	0.5350		0.8741		0.8636	
South	0.1053		0.3597		0.8462	
South Atlantic	0.0804		0.2946		0.6289	
East South Central	0.0893		0.3926		0.1401	
West South Central	0.6056		0.7832		0.2562	
West	0.6891		0.5019		0.2052	
Mountain	0.1285		0.5693		0.3261	
Pacific	0.7636		0.6614		0.3587	
COUNTY TYPE						
Large Metro	0.4991		0.2737		0.1382	
Small Metro	0.7168		0.9308		0.4901	
250K – 1 Mil. Pop.	0.4063		0.9616		0.5871	
< 250K Pop.	0.7237		0.9464		0.6609	
Nonmetro	0.3593		0.3768		0.7388	
Urbanized	0.6880		0.9834		0.9508	
Less Urbanized	0.1482		0.3044		0.7460	
Completely Rural	0.7111		0.7461		0.9343	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.67C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	986	993	488	462	362	374
GEOGRAPHIC DIVISION						
Northeast	393	430	191	199	142	162
New England	203	190	90	98	70	82
Middle Atlantic	334	386	169	173	124	139
Midwest	352	371	164	168	132	137
East North Central	283	319	144	144	121	121
West North Central	221	199	78	82	53	60
South	616	592	268	266	191	193
South Atlantic	449	458	199	200	146	142
East South Central	209	213	88	96	71	88
West South Central	333	304	143	153	100	107
West	534	527	321	265	250	217
Mountain	255	231	140	106	103	77
Pacific	473	470	288	242	228	201
COUNTY TYPE						
Large Metro	1,122	1,112	396	387	285	309
Small Metro	754	725	248	257	200	195
250K – 1 Mil. Pop.	634	619	197	210	161	159
< 250K Pop.	423	431	147	137	115	101
Nonmetro	486	477	231	162	173	118
Urbanized	335	320	126	123	114	84
Less Urbanized	381	336	190	98	131	76
Completely Rural	125	131	28	30	12	21

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.67D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.50	0.50	0.25	0.23	0.19	0.19
GEOGRAPHIC DIVISION						
Northeast	1.08	1.18	0.53	0.54	0.39	0.44
New England	2.12	1.98	0.94	1.02	0.73	0.85
Middle Atlantic	1.25	1.44	0.63	0.64	0.46	0.52
Midwest	0.83	0.86	0.39	0.39	0.31	0.32
East North Central	0.95	1.07	0.49	0.48	0.41	0.41
West North Central	1.72	1.52	0.61	0.63	0.41	0.46
South	0.86	0.81	0.37	0.36	0.27	0.26
South Atlantic	1.18	1.17	0.52	0.51	0.38	0.36
East South Central	1.79	1.80	0.76	0.81	0.61	0.74
West South Central	1.53	1.36	0.66	0.68	0.46	0.48
West	1.19	1.16	0.72	0.58	0.56	0.48
Mountain	1.85	1.66	1.02	0.76	0.75	0.56
Pacific	1.52	1.48	0.93	0.76	0.73	0.63
COUNTY TYPE						
Large Metro	0.75	0.74	0.35	0.34	0.26	0.28
Small Metro	0.76	0.78	0.39	0.39	0.33	0.30
250K – 1 Mil. Pop.	0.93	0.97	0.46	0.47	0.39	0.37
< 250K Pop.	1.39	1.35	0.71	0.63	0.58	0.49
Nonmetro	1.06	1.07	0.68	0.47	0.51	0.35
Urbanized	1.54	1.63	0.90	0.83	0.83	0.63
Less Urbanized	1.64	1.50	1.13	0.60	0.79	0.47
Completely Rural	3.18	2.47	0.85	0.95	0.39	0.62

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.67P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.6555		0.6599		0.7935	
GEOGRAPHIC DIVISION						
Northeast	0.1606		0.9392		0.5898	
New England	0.4892		0.9072		0.7413	
Middle Atlantic	0.2224		0.8800		0.4170	
Midwest	0.9151		0.6499		0.2642	
East North Central	0.8024		0.7409		0.2850	
West North Central	0.5631		0.7055		0.6924	
South	0.5125		0.8087		0.9426	
South Atlantic	0.5355		0.8752		0.7756	
East South Central	0.8089		0.6094		0.2754	
West South Central	0.8435		0.7253		0.7841	
West	0.5703		0.2641		0.5494	
Mountain	0.3624		0.0112		0.0154	
Pacific	0.8549		0.9615		0.7996	
COUNTY TYPE						
Large Metro	0.4560		0.8670		0.6016	
Small Metro	0.6703		0.8979		0.8236	
250K – 1 Mil. Pop.	0.6912		0.8781		0.8057	
< 250K Pop.	0.2174		0.9841		0.9777	
Nonmetro	0.8532		0.5281		0.4736	
Urbanized	0.8191		0.9008		0.4586	
Less Urbanized	0.2820		0.2759		0.5468	
Completely Rural	0.0356		0.3770		0.0247	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.68C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	1,016	1,019	548	503	401	403
GEOGRAPHIC DIVISION						
Northeast	406	441	207	222	158	176
New England	218	193	109	111	80	88
Middle Atlantic	339	396	179	193	138	153
Midwest	367	384	187	186	146	152
East North Central	291	331	160	158	132	133
West North Central	231	204	94	92	64	68
South	641	605	307	299	211	218
South Atlantic	472	468	236	236	166	170
East South Central	216	213	98	98	75	88
West South Central	339	318	157	160	110	115
West	553	550	355	288	268	237
Mountain	265	240	154	119	114	89
Pacific	488	491	319	264	243	219
COUNTY TYPE						
Large Metro	1,180	1,179	453	439	319	342
Small Metro	819	786	302	308	232	225
250K – 1 Mil. Pop.	677	658	234	234	179	176
< 250K Pop.	464	485	187	192	144	132
Nonmetro	521	514	254	187	187	136
Urbanized	374	354	149	144	127	101
Less Urbanized	411	364	211	114	147	88
Completely Rural	134	149	34	40	18	26

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.68D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.44	0.44	0.24	0.22	0.18	0.17
GEOGRAPHIC DIVISION						
Northeast	0.96	1.03	0.49	0.52	0.37	0.41
New England	1.95	1.72	0.98	0.99	0.72	0.79
Middle Atlantic	1.09	1.26	0.57	0.61	0.44	0.49
Midwest	0.73	0.76	0.37	0.37	0.29	0.30
East North Central	0.84	0.95	0.46	0.45	0.38	0.38
West North Central	1.52	1.33	0.62	0.60	0.42	0.44
South	0.76	0.70	0.36	0.35	0.25	0.25
South Atlantic	1.06	1.03	0.53	0.52	0.37	0.37
East South Central	1.58	1.54	0.72	0.71	0.55	0.63
West South Central	1.31	1.20	0.61	0.60	0.43	0.43
West	1.04	1.02	0.67	0.54	0.51	0.44
Mountain	1.63	1.47	0.95	0.73	0.70	0.54
Pacific	1.33	1.31	0.87	0.70	0.66	0.58
COUNTY TYPE						
Large Metro	0.66	0.64	0.34	0.32	0.24	0.26
Small Metro	0.68	0.69	0.39	0.38	0.31	0.29
250K – 1 Mil. Pop.	0.82	0.87	0.46	0.44	0.36	0.35
< 250K Pop.	1.20	1.17	0.72	0.69	0.59	0.50
Nonmetro	0.95	0.97	0.64	0.46	0.47	0.35
Urbanized	1.40	1.45	0.89	0.79	0.78	0.62
Less Urbanized	1.48	1.36	1.06	0.59	0.75	0.46
Completely Rural	2.94	2.35	0.95	0.98	0.55	0.65

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.68P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.7312		0.9121		0.6285	
GEOGRAPHIC DIVISION						
Northeast	0.1029		0.9883		0.6194	
New England	0.3376		0.8189		0.5364	
Middle Atlantic	0.1848		0.8741		0.3501	
Midwest	0.9205		0.6646		0.3204	
East North Central	0.8767		0.6895		0.3103	
West North Central	0.6736		0.8384		0.7974	
South	0.3663		0.6467		0.9256	
South Atlantic	0.3736		0.8698		0.9149	
East South Central	0.5801		0.4318		0.1089	
West South Central	0.9282		0.8548		0.4725	
West	0.6304		0.3951		0.8494	
Mountain	0.5307		0.0259		0.0677	
Pacific	0.8227		0.9286		0.6067	
COUNTY TYPE						
Large Metro	0.5464		0.8066		0.3057	
Small Metro	0.7749		0.7419		0.8262	
250K – 1 Mil. Pop.	0.5642		0.6984		0.8960	
< 250K Pop.	0.2129		0.9633		0.8472	
Nonmetro	0.9638		0.7176		0.5718	
Urbanized	0.8222		0.7494		0.6246	
Less Urbanized	0.3675		0.3382		0.5431	
Completely Rural	0.0355		0.3103		0.0786	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.